



Reg. No
Name

M.Sc. DEGREE (C.S.S.) EXAMINATION, NOVEMBER 2018

Third Semester

Faculty of Science

Branch I (A): Mathematics

MT 03 C12—FUNCTIONAL ANALYSIS

(2012 Admission onwards)

Time: Three Hours

Maximum Weight: 30

Part A

Answer any **five** questions. Each question has weight 1.

- 1. If $M \neq \phi$ is any subset of a vector space X, show that span M is a subspace of X.
- 2. Define a bounded linear operator. Also define the norm of such operator.
- 3. Determine the null space of the operator $T: \mathbb{R}^3 \to \mathbb{R}^2$ represented by $\begin{bmatrix} 1 & 3 & 2 \\ -2 & 1 & 0 \end{bmatrix}$.
- 4. Show that C[a, b] is not a Hilbert space.
- 5. Define an orthonormal set. Show that it is linearly independent.
- 6. If (T_n) is a sequence of bounded linear operators on a Hilbert space and $T_n \to T$, show that $T_n^x \to T^x$.
- 7. Define a partially ordered set. Also state Zorn's lemma.
- 8. Define the terms rare, meager and non-meager subsets of a metric space X. Also state Baire's category theorem.

 $(5 \times 1 = 5)$

Turn over





Part B

Answer any **five** questions. Each question has weight 2.

- 9. Prove that every finite dimensional subspace Y of a normed space X is complete.
- 10. Prove that if a normed space X has the property that the closed unit ball is compact, then X is finite dimensional.
- 11. If a normed space X is finite dimensional, prove that every linear operator on X is bounded.
- 12. Show that the dual of l' is l^{∞} .
- 13. State and prove Bessel inequality.
- 14. Prove that the adjoint operator T^X is linear and bounded and $\parallel T^X \parallel = \parallel T \parallel$.
- 15. Show that every Hilbert space is reflexive.
- 16. Let Y be a proper closed subspace of a normed space $X, x_0 \in X Y$ be arbitrary and

$$\begin{split} \delta &= \inf \left\| \left\| \tilde{y} - x_0 \right\| \text{. Show that there exists on } \tilde{f} \in \mathbf{X}' \text{ such that } \\ \tilde{y} &\in \mathbf{Y}. \\ \left\| \left\| \tilde{f} \right\| &= 1, \tilde{f} \left(y \right) = 0 \text{ for all } y \in \mathbf{Y}, \tilde{f} \left(x_0 \right) = \delta. \end{split}$$

 $(5 \times 2 = 10)$

Part C

Answer any **three** questions. Each question has weight 5.

- 17. (i) State and prove Riesz's lemma.
 - (ii) Let X and Y be metric spaces and $T: X \to Y$ a continuous map. Show that the image of a compact subset M of X under T is compact.
- 18. (i) Prove that the vector space B(X,Y) of all bounded linear operators from a normed space X into a normed space Y is itself a normed space with norm defined by $\|T\| = \sup_{\|x\| \neq 0} \frac{\|Tx\|}{\|x\|}$.
 - (ii) If Y is a Banach space, show that B(X, Y) is a Banach space.





18001758

- 19. (i) State and prove Schwarz and triangle inequalities.
 - (ii) Show that for a sequence (x_n) in an inner product space. The conditions $\|x_n\| \to \|x\| \text{ and } < x_n, x> \to < x, x> \text{ imply convergence } x_n \to x.$
- 20. Prove that two Hilbert spaces H and \tilde{H} , both real or both complex, are isomorphic if and only if they have the same Hilbert dimension.
- 21. State and prove Riesz's theorem for functionals of Hilbert spaces.
- 22. State and prove generalized Hahn-Banach theorem.

 $(3 \times 5 = 15)$

