QP CODE: 19101728

## **B.Sc. DEGREE (CBCS) EXAMINATION, MAY 2019**

#### **Second Semester**

## Core Course - PH2CRT02 - MECHANICS AND PROPERTIES OF MATTER

(Common for B.Sc Physics Model I ,B.Sc Physics Model II Applied Electronics ,B.Sc Physics Model II Computer Applications ,B.Sc Physics Model III Electronic Equipment Maintenance)

## 2017 ADMISSION ONWARDS

327A46C5

Maximum Marks: 60

Part A

Answer any **ten** questions. Each question carries **1** mark.

- 1. Define a longitudinal wave with an example.
- 2. Write down the expression for the energy density of a plane progressive harmonic wavetravelling along the positive x-direction and explain each term.
- 3. Two adjacent piano keys are struck simultaneously. The notes emitted by them have frequencies 412 Hz and 417 Hz. Write down the number of beats heard per second.
- 4. When a simple pendulum is kept on the moon, what is the difference seen on its speed of oscillation and time period?
- 5. State parallel axes theorem.
- 6. State perpendicular axes theorem.
- 7. Write down the expression for work done in deforming a body under volume strain.
- 8. Graphically represent the relation between the distance between the knife edges l and elevation  $\delta$  at the middle of a beam supported by two knife edges and symmetrically loaded.
- 9. In the torsion pendulum experiment, error in the measurement of which quantity can lead to large error in the answer?

Page 1/3

- 10. Distinguish between streamline and turbulent flow.
- 11. Give any four factors affecting surface tension.
- 12. Define surface energy of a liquid film.

**D** N

Reg No : ..... Name : .....

**Time: 3 Hours** 





 $(10 \times 1 = 10)$ 

#### Part B

# Answer any **six** questions.

#### Each question carries **5** marks.

- 13. A wire gives a fundamental frequency of 256 Hz when it is under a tension of 25 kg-wt. Under what tension will the string emit a frequency of 768 Hz
- 14. A body of mass 2 kg suspended through a vertical spring executes simple harmonic motion of period6 s. Find the potential energy and kinetic energy at 2cm if the maximum amplitude is 5cm
- 15. Find the wavelength and the phase difference between two points at x = 2m and x = 7.232 m of the plane progressive wave given by y = 0.3 sin (40t 3x). Find the damping constant and the damping coefficient.
- 16. Find the moment of inertia of a solid cylinder of mass 1 kg, length 24 cm with a diameter 20 cm about an axis perpendicular to its length and passing through one of its ends.
- 17. A flywheel of mass200kg and radius of gyration 0.6m is given an angular speed of 150rpm in 90 rotations starting from rest. Determine the torque acting on it.
- 18. The diameter of brass rod is 4mm. Young's modulus of brass is  $9.9 \times 10^{10}$ N/m<sup>2</sup>.Calculate the force required to stretch by 0.1% of its length.
- 19. A rod having a diameter of 1.26cm is placed on two knife edges separated by a distance of 0.7m. A load of 0.9kg is hanged on the road at its midpoint and the corresponding depression is 0.025cm. Calculate the Young's modulus of the material of the rod.
- 20. A metal plate100cm<sup>2</sup> in area rests on a layer of castor oil 2mm thick whose coefficient of viscosity is 1.55 Nsm<sup>-2</sup>. Calculate the horizontal force required to move the plate with a speed of 0.03ms<sup>-1</sup>.
- 21. Assuming that the surface tension of rain water is 0.072N/m. Find the difference of pressure between inside and outside of a rain drop of diameter 0.02cm.

(6×5=30)

#### Part C

Answer any **two** questions.

Each question carries **10** marks.

- Setup the differential equation for a simple harmonic motion and obtain the velocity and acceleration of the particle. Also graphically show the different positions of the particle at intervals of T/4, T/2, 3T/4 and T for displacement, velocity and acceleration.
- 23. Obtain an expression for Moment of inertia of an annular ring (i) about an axis passing through its centre of mass and perpendicular to its plane (ii) about its diameter.





- 24. Derive Poiseuille's equation in hydrodynamics.
- 25. Derive the Bernoulli's equation for a liquid flowing through a pipe held horizontally.

(2×10=20)